

| | | |
|--------------------------|----------------------------------|-----------------------------------|
| Title of Training | SOIL PICK SAFETY TRAINING | |
| Equipment Info. | | PNEUMATIC SOIL PICK SAFETY |
| Date of Training | | Instructor: |

SOIL PICK SAFETY INFORMATION

THE MBW SOIL PICK MODEL SP125 IS INTENDED FOR USE AS AN EFFECTIVE PENETTOR OF POROUS MATERIAL WITH NO EFFECT ON NON-POROUS SURFACES. FOR PROPER OPERATION, IT IS CONNECTED TO AN AIR SUPPLY THROUGH UNIVERSAL HOSES AND COUPLINGS. BEFORE OPERATING, CHECK SOIL PICK FOR SAFE OPERATION. CHECK THE DEFLECTOR FUNNEL/ADJUST DEFLECTOR FUNNEL SO BOTTOM OF FUNNEL IS 3" ABOVE THE END OF THE SOIL PICK. CHECK ALL HOSES AND CONNECTIONS, INSERT SAFETY CLIPS IN HOSE COUPLINGS.


ALWAYS WEAR SAFETY GLASSES AND A FACE SHIELD WHILE OPERATING THE SOIL PICK. HEARING PROTECTION IS ALSO REQUIRED TO REDUCE THE RISK OF AN ACCIDENT OR INJURY. DO NOT POINT SOIL PICK TOWARD EYES OR ANY PART OF THE BODY.

AIM THE SOIL PICK OVERHEAD AND AWAY FROM ANY OBSTACLE AND PULL THE TRIGGER. THE SOIL PICK IS EQUIPPED WITH A COLOR CODED GAUGE. IT WILL INDICATE GREEN IF ENOUGH AIR IS PRESENT. IF RED IS INDICATED, INCREASE THE AIR SUPPLY BEFORE PROCEEDING. THE MAXIMUM OPERATING AIR PRESSURE SHOULD BE LIMITED TO **125LBS/SQUARE INCH**. DURING OPERATION, HOLD THE NOZZLE CLOSE TO THE AREA TO BE PENETRATED AND ROTATE IN SMALL EXPANDING CIRCLES (STIRRING MOTION). IF THE NOZZLE OF THE SOIL PICK IS OPERATING BEYOND 4" FROM THE SOIL SURFACE THE PENETRATION DECREASES.

STIRRING MOTION IS ALSO IMPORTANT. THE OPTIMUM SPEED WILL DEPEND UPON SOIL CHARACTERISTICS. THE ANGLE OF ATTACK AGAINST THE SURFACE IS IMPORTANT. STAY AS CLOSE TO 90 DEGREES AS POSSIBLE FOR BEST RESULTS. KEEP WORK AREA BARRICADED TO WARN OTHERS OF JOB HAZARDS

Safety Precautions

LETHAL EXHAUST GAS: An internal combustion engine discharges carbon monoxide, a poisonous, odorless, invisible gas. Death or serious illness may result if inhaled. Operate only in an area with proper ventilation. NEVER OPERATE IN A CONFINED AREA!



DANGEROUS FUELS:

Use extreme caution when storing, handling and using fuels, as they are highly volatile and explosive in vapor state. Do not add fuel while engine is running. Stop and cool the engine before adding fuel.



| | | | |
|-------------------------|---|-------------------------|-------------|
| Trainee Name (print) | | Signature of Trainee | |
| Instructor Name | | Date of Training | |
| Scan To: | Safety/Training/Equipment/Soil Pick Safety/YYYY-MM-DD | | |
| Revision # 002-15 | | | Page 1 of 3 |

| | | | |
|--------------------------|----------------------------------|-----------------------------------|--|
| Title of Training | SOIL PICK SAFETY TRAINING | | |
| Equipment Info. | | PNEUMATIC SOIL PICK SAFETY | |
| Date of Training | | Instructor: | |

DO NOT SMOKE!

SAFETY GUARDS:

It is the owner's responsibility to ensure that all guards and shields are in place and in working order.



IGNITION SYSTEMS:

Breaker less, magneto, and battery ignition systems can cause severe electrical shocks. Avoid contacting these units or their wiring.

SAFE DRESS: Do not wear loose clothing, rings, wristwatches, etc. near machinery.



NOISE PROTECTION: Wear OSHA specified hearing protection devices.



EYE PROTECTION: Wear OSHA specified eye shields, safety glasses, and sweat bands.



FOOT PROTECTION: Wear OSHA specified steel-tipped safety shoes.



HEAD PROTECTION: Wear OSHA specified safety helmets.



DUST PROTECTION: Wear OSHA specified dust mask or respirator.

Important Notice

This Safety Training Topic (STT) does not necessarily cover all possible hazards associated with this equipment and should be used in conjunction with equipment manual. It is designed as a guide to be used to compliment training in the field at Brieser Construction and as a reminder to users prior to equipment use.

| | | | |
|----------------------|---|----------------------|-------------|
| Trainee Name (print) | | Signature of Trainee | |
| Instructor Name | | Date of Training | |
| Scan To: | Safety/Training/Equipment/Soil Pick Safety/YYYY-MM-DD | | |
| Revision # 002-15 | | | Page 2 of 3 |

| | | | |
|--------------------------|----------------------------------|-----------------------------------|--|
| Title of Training | SOIL PICK SAFETY TRAINING | | |
| Equipment Info. | | PNUEMATIC SOIL PICK SAFETY | |
| Date of Training | | Instructor: | |

| EMPLOYEE NAME (Print or Type) | EMPLOYEE SIGNATURE | TRADE | JOB TITLE |
|--|-------------------------------|--------------|------------------|
| 1. | | | |
| 2. | | | |
| 3. | | | |
| 4. | | | |
| 5. | | | |
| 6. | | | |
| 7. | | | |
| 8. | | | |
| 9. | | | |
| 10. | | | |
| 11. | | | |
| 12. | | | |
| 13. | | | |
| 14. | | | |
| 15. | | | |
| 16. | | | |
| 17. | | | |

| | | | |
|---------------------------------|--|---------------------------------|--|
| Trainee Name (print) | | Signature of Trainee | |
| Instructor Name | | Date of Training | |
| Scan To: | Safety/Training/Equipment/Soil Pick Safety/YYYY-MM-DD | | |
| Revision # 002-15 | Page 3 of 3 | | |